规格书编号

SPEC NO:

产品规格书 SPECIFICATION

PRODUCT 产品:	CRYSTAL FILTER			
MODEL NO 型 号:	MCF11DIP-21M12C-E			
PREPARED 编 制:	LEO	CHECKED 审 相	亥:YORK	
APPROVED 批准:	LIUMING	DATE 日 邦	期:2013-10-21	
客户确认 CUSTOMER RECEIVED:				
审核 CHECKE	D 批准 A	APPROVED	日期 DATE	

CUSTOMER 客 户:

无锡市好达电子有限公司 Shoulder Electronics Limited

更改历史记录 History Record

更改日期 Date	规格书编号 Spec No	产品型号 Part No	客户产品型号 Customer No	更改内容描述 Modify Content	备注 Remark

SPECIFICATION SHEET

	 □ APPLICATION This Standard Will Apply to The Quartz Crystals. □ ELECTRICAL DATA 		
NO	Speciality	Parameter	
01	Holder type	MCF11DIP	
02	Mode of Oscillations	Fundamental	
03	Center Frequency	21.4MHz	
04	Pass bandwidth	±6.0KHz min (at 3dB)	
05	Pass band ripple	2.0dB max	
06	Insertion loss	3.0dB max	
07	Stop Band width	±20KHz max (at 60dB)	
08	Terminating impedance	1.5K Ω //2.0pf	
09	Operating Tem. Range	-40~+85℃	
10	Insulated Resistance	500M Ω (max)(DC100V)	
11	Aging per Year	±3ppm	
12	Attenuation Guaranteed	60dB(±25~±300KHZ)	

☐ MECHANICAL DATA

1. Marking:	SDE 21M12C-E	
2.Shock Test:	Dropping from 75 cm height,3 times on 30mm-thick- hard wood, After testing, the electrical data follows the requirement.	
3. Vibration Test:	30 minutes in each direction 10 to 55 Hz, amplitude 0.75mm, After testing, the electrical data follows the requirement.	
4.Terminal strength:	Tensile: Fix main body of crystal. Load 0.9kg pulling force along, teminal axial for 30±5 seconds. The terminal can not he pulled out or broken. Bending: Hang 450g object on lead terminal. Bend 90 degree for 2 to 3 seconds. Return to the former place with the same speed and then do it again oppositely. The down-lead does not become broken and loosed.	
5.Sealing:	The crystal unit shall be immersed in alcohol for 5 minutes with 5kg pressure per cm2 . Taking out, Testing the resistance between downlead and fundamental. The resistance shall be at least 500M Ω (max) (DC100V).	
6.Temperature cycle:	2~3 min -40°C to +85°C 30min 30min After cycling three times, there is no distinct damage on the surface. Capacity testing requirement as vibration.	

3

SPECIFICATION SHEET

□ MECHANICAL DATA

7.Solderability:	The lead(2to2.5mm from terminal to bottom) is immersed in a $230\pm5^{\circ}$ C Solder bath within 2 ± 0.5 seconds. The dipping surface of the lead shall be at least 95% covered with a Continuous new solder coating. Capacity testing requirement as vibration.
8. Resistance to soldering heat:	The(2 to 2.5mm from terminal to bottom) is immersed in a $350\pm10^{\circ}$ C solder bath within 3.5 ± 0.5 seconds. After testing, without distinct damage on the surface. Capacity testing requirement as vibration.
9. Resistance to heat:	Resistance to the lowest temperature: Stored at $-40\pm3^{\circ}$ C for 2 hours and then at normal temperature for 2 hours before testing. Capacity testing requirement as vibration. Resistance to the highest temperature: Stored at $85\pm2^{\circ}$ C for 2 hours and then at normal temperature for 2 hours before testing. Capacity testing requirement as vibration.
10. Invariable humidity:	Stored at 40 ± 3 °C and RH93% ±2 % for 48 hours and then at normal condition for 2 hours before testing. Without distinct damage to the surface. Capacity testing requirement as vibration.

Test Circuit



