

QJ—3056F—2007

# **SPECIFICATION**

## OF PRODUCTS

(	CUSTOMER :						
]	PRODUCT NAME: <u>CERAMIC FILTER</u>						
]	PART NUMBE	CR : <u>LT1</u>	0.7MFPKAA0	)F-B0			
PREVIOUS PART NUMBER: LT10.7MFP							
	Approved by	Checked by	Drawn by				

This specifications is subject to change without notice. Reprinting and copying of this specifications without prior written permission from MOBICON HOLDINGS LTD are not permitted.

# www.mobicon.com

7/F., New Trend Centre, 704 Prince Edward Road East, San Po Kong, Kowloon, Hong Kong.



#### 1. SCOPE

This specification shall cover the characteristics of the ceramic filter with the type LT10.7MFPKAA0F-B0.


#### 2. PART NO.

PART NUMBER	PREVIOUS PART NUMBER	
LT10.7MFPKAA0F-B0	LT10.7MFP	
CUSTOMER PART NO	SPECIFICATION NO	

#### 3. OUTLINE DIMENSIONS AND MARK

- 3.1 Appearance: No visible damage and dirt.
- 3.2 Construction: Leads are soldered on electrode and body is molded by resin.
- 3.3 The products conform to the RoHS directive and national environment protection law.

### 3.4 Dimensions and mark








**P/N: LT10.7MFPKAA0F-B0**Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187

E-mail: info@mobicon.com

### 3.5 Structure



Component	Material	
Lead Wire Solder plating copper or iron w		
Mold Resin	epoxy resin	
Solder	High-melting solder	
Ceramic Substrate	Lead titanate-zirconate	

## 4 . ELECTRICAL SPECIFICATIONS

## 4.1 RATING

Items	Requirement	
Withstand DC Voltage	50V (1min max)	
Insulation Resistance M min.	100 ( 10V , 1min±5s )	
Operating temperature	-25 ~85	
Storage temperature	-40 ~ 85	





P/N: LT10.7MFPKAA0F-B0 Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187 E-mail: info@mobicon.com

## 4.2 ELECTRICAL SPECIFICATIONS


Items	Requirement	
Center Frequency (fo) MHz	$10.700 \pm 0.020$	
3dB Band Width (kHz)	20	
20dB Band Width (kHz) max	95	
Insertion Loss (dB) max	6.0	
Spurious Attenuation (dB) min	24 (9.7~11.7MHz)	
Input/Output Impedance ( )	600	
Temp. Coefficient of Frequency	±0.5 (Center Frequency drift,	
(%) max	-20 ~+80 )	

### 5. TEST

### 5.1 Test Conditions

Parts shall be tested under the condition ( Temp. :  $20\pm15$  , Humidity :  $65\pm20\%$  R.H.) unless the standard condition(Temp. :  $25\pm2$  , Humidity :  $65\pm5\%$  R.H.) is regulated to measure.

### 5.2 Test Circuit



Rg+R1=R2=600 C=10pF(Including stray capacitance and input capacitance of RF voltmeter)





**P/N: LT10.7MFPKAA0F-B0**Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187

## 6 . ENVIRONMENTAL TEST

No.	Item	Conditio	n of Test	Performance Requirement
6.1	Humidity	Subject the filter at $60 \pm 2$ and $90\%-95\%$ R.H. for 96h, Filter shall be measured after being placed in natural conditions for 1h.		It shall fulfill Table 1.
6.2	High Temperature Exposure	Subject the filter to 8: shall be measured after conditions for 1h.	It shall fulfill Table 1.	
6.3	Low Temperature Exposure	Subject the filter to -2 shall be measured after conditions for 1h.	It shall fulfill Table 1.	
6.4	Temperature Cycling	After temperature cycling of blow table was performed 5 times, Filter shall be measured after being placed in natural conditions for 1h.  Temperature $-20 \pm 3$ $30 \pm 3 \text{ min}$ $85 \pm 3$ $30 \pm 3 \text{ min}$		It shall fulfill Table 1.
6.5	Vibration	Subject the filter to vibrand z axis with the and frequency shall be varied limits of 10Hz-55Hz-10 be measured.	It shall fulfill Table 1.	
6.6	Mechanical Shock	Filter shall be measured after 3 times random dropping from the height of 1m on concrete floor.		No visible damage and it shall fulfill Table 1.
6.7	Resistance to Soldering Heat	1 )Lead terminals are immersed up to 2 mm from filter's body in soldering bath of 260 ± 5 for 10 ± 1s and then filter shall be measured after being placed in natural conditions for 1h.  2 ) Lead terminals is directly contacted with the tip of soldering iron of 350±5 for 5.0 ± 0.5s and then filter shall be measured after being placed in natural conditions for 1h.		It shall fulfill Table 1.

( to be continued )





P/N: LT10.7MFPKAA0F-B0 Page 5 of 1 0 E-mail: info@mobicon.com Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187

## 6 . ENVIRONMENTAL TEST

No.	Item	Condition of Test	Performance Requirements
6.8	Solderability	Lead terminals are immersed up to 2mm from filter's body in soldering bath of $250 \pm 5$ for $3 \pm 0.5$ s.	More than 95% of the terminal surface of the filter shall be covered with fresh solder.
6.9	Terminal Strength		
6.9.1	Terminal Pulling	Force of 5N is applied to each lead in	
6.9.2	Terminal Bending	axial direction for 10s ± 1s.  When force of 5N is applied to each lead in axial direction, the lead shall folded up 90 ° from the axial direction and folded back to the axial direction. The speed of folding shall be each 3s.	No visible damage and it shall fulfill Table 1.

## Table 1

Item	Characteristics after test	
Insertion Loss drift	± 2dB max.	
3dB Band Width drift	± 10kHz max.	
20dB Band Width drift	± 20kHz max.	






P/N: LT10.7MFPKAA0F-B0 Page 6 of 1 0 Tel:  $(852)\ 2397\ 6628\ /\ 2397\ 8218;$  Fax:  $(852)\ 2397\ 0339\ /\ 2397\ 8187$ E-mail: info@mobicon.com

### 7. PACKAGE

To protect the products in storage and transportation , it is necessary to pack them ( outer and inner package ).On paper pack, the following requirements are requested.

## 7.1 Dimensions and Mark



NO.	Name	Quantity
	Package	1
	Box	2
	Inner Box	40
	Belt	2.9 m
	Adhesive tape	1.2 m
	Label	1
	Certificate of approval	1
	Company name ,Address etc.	





P/N: LT10.7MFPKAA0F-B0

## 7.2 Section of Package

Package is made of corrugated paper with thickness of 0.8cm.Package has 2 boxes, each has 20 inner boxes.


## 7.3 Quantity of Package

Per plastic bag
Per inner box
Per package

500 pieces
3 plastic bag
40 inner boxes


(60000 pieces of piezoelectric ceramic part )

## 7.4 Inner Package



NO.	Name	Quantity	
	Inner package	1	
	Adhesive tape	1.2 m	
	Label	1	

## 7.5 Inner Box Dimensions







P/N: LT10.7MFPKAA0F-B0

Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187

NO.	Name	Quantity
	Inner Box	1
	RoHS Label	1
	QC Label	1
	Label	1

## 8 . EIAJ Monthly Code

2005 / 2007 / 2009		2006 / 2008 / 2010	
MONTH	CODE	MONTH	CODE
JAN	A	JAN	N
FEB	В	FEB	P
MAR	С	MAR	Q
APR	D	APR	R
MAY	Е	MAY	S
JUN	F	JUN	T
JUL	G	JUL	U
AUG	Н	AUG	V
SEP	J	SEP	W
OCT	K	OCT	X
NOV	L	NOV	Y
DEC	M	DEC	Z





 P/N: LT10.7MFPKAA0F-B0
 Page 9 of 1 0

 Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187
 E-mail: info@mobicon.com

- 9. OTHER
- 9.1 Caution
- 9.1.1 Don't apply excess mechanical stress to the component and terminals at soldering. Do not use this product with bend.
- 9.1.2 Do not clean or wash the component for it is not hermetically sealed.
- 9.1.3 Do not use strong acidity flux , more than 0.2wt% chlorine content , in flow soldering.
- 9.1.4 Don't be close to fire.
- 9.1.5 All kinds of re-flow soldering must not be applied on the component.
- 9.1.6 This specification mentions the quality of the component as a single unit. Please insure the component is thoroughly evaluated in your application circuit
- 9.1.7 Expire date (Shelf life) of the products is one year after delivery under the conditions of a sealed and an unopened package. Please use the products within six months after delivery. If you store the products for a long time (more than one year), use carefully because the products may be degraded in the solderability or rusty. Please confirm solderability and characteristics for the products regularly.
- 9.1.8 Please contact us before using the product as automobile electronic component.
- 9.2 Notice
- 9.2.1 Please return one of this specification after your signature of acceptance.
- 9.2.2 When something gets doubtful with this specifications, we shall jointly work to get an agreement.





**P/N: LT10.7MFPKAA0F-B0**Tel: (852) 2397 6628 / 2397 8218; Fax: (852) 2397 0339 / 2397 8187

E-mail: info@mobicon.com