

# Батареи CR литиевые с выводами. Размеры.

Напряжение 3V.

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR1220/1HF   |               | CR1220/1HM   |               |
| CR1220/1F4   |               | CR1220/1VC   |               |
| CR1220/1VC1  |               | CR1220/1VC2  |               |
| CR1225/1HF   |               | CR1225/1VC   |               |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR1620/1HF   | <p>(25)</p>   | CR1620/1VC2  | <p>(26)</p>   |
| CR1620/1VC3  | <p>(27)</p>   | CR1632/1HF   | <p>(28)</p>   |
| CR1632/1GU   | <p>(29)</p>   | CR1632/1HM   | <p>(30)</p>   |
| CR1632/1VC2  | <p>(31)</p>   | CR1632/1HF1  | <p>(32)</p>   |

| Model Number | Dimensions/mm                                                                                                                                                                                                                                                                                                                                                                                                | Model Number | Dimensions/mm                                                                                                                                                                                                                                                                                                                                                     |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR1632/1F2   | <p>Technical drawing of CR1632/1F2. Top view shows a circular component with a diameter of 16 mm. Two horizontal slots are positioned 7 ± 0,5 mm from the center. The distance between the slots is 2,6 mm. Side view shows a profile with a width of 3,2 mm, a height of 3,8 mm, and a base thickness of 0,15 mm.</p>                                                                                       | CR2016/1HF1  | <p>Technical drawing of CR2016/1HF1. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 1,6 mm from the center. Side view shows a profile with a width of 0,75 mm, a height of 3 mm, and a base thickness of 0,75 mm. The distance between the slots is 20 ± 0,5 mm, and the height of the central part is 5 mm.</p>   |
| CR2016/1F2   | <p>Technical drawing of CR2016/1F2. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 6 ± 0,5 mm from the center. The distance between the slots is 2,6 mm. Side view shows a profile with a width of 2,5 mm, a height of 5 mm, and a base thickness of 0,1 mm. The distance between the slots is 5,5 mm, and the height of the central part is 1,6 mm.</p>      | CR2016/1HF   | <p>Technical drawing of CR2016/1HF. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 1,6 mm from the center. Side view shows a profile with a width of 0,75 mm, a height of 4 mm, and a base thickness of 0,75 mm. The distance between the slots is 20 ± 0,5 mm, and the height of the central part is 6 mm.</p>    |
| CR2016/1F3   | <p>Technical drawing of CR2016/1F3. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 5,5 ± 0,5 mm from the center. The distance between the slots is 7,5 ± 0,5 mm. Side view shows a profile with a width of 2,6 mm, a height of 1,6 mm, and a base thickness of 0,15 mm. The distance between the slots is 2 mm.</p>                                           | CR2016/1HM   | <p>Technical drawing of CR2016/1HM. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 1,6 mm from the center. Side view shows a profile with a width of 1,8 mm, a height of 5,6 mm, and a base thickness of 0,75 mm. The distance between the slots is 20 ± 0,5 mm, and the height of the central part is 3,5 mm.</p> |
| CR2016/1F4   | <p>Technical drawing of CR2016/1F4. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 7 ± 0,5 mm from the center. The distance between the slots is 2,6 mm. Side view shows a profile with a width of 2,6 mm, a height of 7 ± 0,5 mm, and a base thickness of 0,15 mm. The distance between the slots is 5,5 mm, and the height of the central part is 2 mm.</p> | CR2016/1VC2  | <p>Technical drawing of CR2016/1VC2. Top view shows a circular component with a diameter of 20 mm. A horizontal slot is positioned 6 ± 0,5 mm from the center. Side view shows a profile with a width of 0,75 mm, a height of 1,6 mm, and a base thickness of 0,15 mm. The distance between the slots is 6 mm.</p>                                                |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2025/1HF1  |               | CR2025/1HF2  |               |
| CR2025/1HF   |               | CR2025/1HF3  |               |
| CR2025/1GU   |               | CR2025/1F2   |               |
| CR2025/1F3   |               | CR2025/1VC   |               |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2032/1HF7  |               | CR2032/1HF6  |               |
| CR2032/1HF5  |               | CR2032/1HF4  |               |
| CR2032/1HF3  |               | CR2032/1HF2  |               |
| CR2032/1HF   |               | CR2032/1HF1  |               |

| Model Number | Dimensions/mm                                                                                                                                                                                                                                                      | Model Number | Dimensions/mm                                                                                                                                                                                                                                                    |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR2032/1GU   | <p>Technical drawing of CR2032/1GU battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 11mm. Cross-sectional view shows internal details with dimensions: 5.6mm, 0.75mm, 5.6mm, 20±0.5mm, 8.8mm, 4mm, and 0.75mm.</p>     | CR2032/1HF8  | <p>Technical drawing of CR2032/1HF8 battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 1.8mm. Cross-sectional view shows internal details with dimensions: 0.8mm, 2.1mm, 1.8mm, 20±0.5mm, 5.4mm, 0.8mm, and 1.8mm.</p> |
| CR2032/1GU1  | <p>Technical drawing of CR2032/1GU1 battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 11mm. Cross-sectional view shows internal details with dimensions: 6.2mm, 0.75mm, 6.2mm, 20±0.5mm, 9.2mm, 0.75mm, and 11mm.</p>   | CR2032/1HF9  | <p>Technical drawing of CR2032/1HF9 battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 0.75mm. Cross-sectional view shows internal details with dimensions: 5.2mm, 0.75mm, 5.2mm, 22±0.5mm, 8mm, 8mm, and 0.75mm.</p>  |
| CR2032/1GU2  | <p>Technical drawing of CR2032/1GU2 battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 11mm. Cross-sectional view shows internal details with dimensions: 5.6mm, 0.75mm, 5.6mm, 15.2±0.5mm, 9.2mm, 0.75mm, and 11mm.</p> | CR2032/1HFA  | <p>Technical drawing of CR2032/1HFA battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 1.5mm. Cross-sectional view shows internal details with dimensions: 6mm, 1.5mm, 6mm, 20±0.5mm, 9mm, 5mm, 1.5mm, and 9.2mm.</p>  |
| CR2032/1GU3  | <p>Technical drawing of CR2032/1GU3 battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 11mm. Cross-sectional view shows internal details with dimensions: 5.6mm, 0.75mm, 5.6mm, 3.5±0.5mm, 9.2mm, 0.75mm, and 11mm.</p>  | CR2032/1HFB  | <p>Technical drawing of CR2032/1HFB battery. Top view shows a diameter of 20mm. Side view shows a width of 3.2mm and a height of 1.8mm. Cross-sectional view shows internal details with dimensions: 4mm, 1.8mm, 4mm, 20.5±0.5mm, 1.8mm, and 1.8mm.</p>          |

| Model Number  | Dimensions/mm | Model Number  | Dimensions/mm |
|---------------|---------------|---------------|---------------|
| CR2032 / 1VC  | <p>65</p>     | CR2032 / 1VC1 | <p>66</p>     |
| CR2032 / 1F4  | <p>67</p>     | CR2032 / 1F2  | <p>68</p>     |
| CR2032 / 1VC2 | <p>69</p>     | CR2032 / 1VC3 | <p>70</p>     |
| CR2032 / 1F3  | <p>71</p>     | CR2032 / 1VC4 | <p>72</p>     |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2032/1GV   | <p>(73)</p>   | CR2032/1GV1  | <p>(74)</p>   |
| CR2032/1F6   | <p>(75)</p>   | CR2032/1VC5  | <p>(76)</p>   |
| CR2032/1F5   | <p>(77)</p>   | CR2032/1F7   | <p>(78)</p>   |
| CR2032/1HFC  | <p>(79)</p>   | CR2032/1F8   | <p>(80)</p>   |



| Model Number | Dimensions/mm                                                                                                                                      | Model Number | Dimensions/mm                                                                                                                                    |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| CR2330/1HF1  | <p>Technical drawing of CR2330/1HF1 showing front, side, and cross-sectional views. Dimensions include 23, 3, 0,75, 6,2, 20±0,5, and 9,2.</p>      | CR2330/1VC   | <p>Technical drawing of CR2330/1VC showing front, side, and cross-sectional views. Dimensions include 23, 3±0,5, 8±0,5, 0,75, 3, and 3,28.</p>   |
| CR2330/1HF   | <p>Technical drawing of CR2330/1HF showing front, side, and cross-sectional views. Dimensions include 23, 3, 0,75, 6,2, 23±0,5, and 9,2.</p>       | CR2330/1VC1  | <p>Technical drawing of CR2330/1VC1 showing front, side, and cross-sectional views. Dimensions include 23, 5±0,5, 10±0,5, 0,75, 3, and 3,28.</p> |
| CR2330/1HF2  | <p>Technical drawing of CR2330/1HF2 showing front, side, and cross-sectional views. Dimensions include 23, 3, 0,75, 6,2, 20±0,5, 9,2, and 1,8.</p> | CR2330/1VC2  | <p>Technical drawing of CR2330/1VC2 showing front, side, and cross-sectional views. Dimensions include 23, 5±0,5, 0,75, 3, 5, and 3,28.</p>      |
| CR2330/1HF3  | <p>Technical drawing of CR2330/1HF3 showing front, side, and cross-sectional views. Dimensions include 23, 3, 0,75, 4, 23±0,5, and 1,8.</p>        | CR2330/1F2   | <p>Technical drawing of CR2330/1F2 showing front, side, and cross-sectional views. Dimensions include 29, 23, 2,6, 3±0,5, 2,6, 3, and 3,5.</p>   |

| Model Number | Dimensions/mm                                                                                                                                         | Model Number | Dimensions/mm                                                                                                                                      |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| CR2430/1HF3  | <p>Technical drawing of CR2430/1HF3 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 0.75, 6.2, 9.2, 20±0.5, and 0.75.</p> | CR2430/1F4   | <p>Technical drawing of CR2430/1F4 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 4±0.5, 10±0.5, 0.75, and 3.5.</p>   |
| CR2430/1HF2  | <p>Technical drawing of CR2430/1HF2 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 1.8, 6.2, 9.2, 20±0.5, and 0.75.</p>  | CR2430/1VC   | <p>Technical drawing of CR2430/1VC showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 5±0.5, 10±0.5, 0.75, and 3.28.</p>  |
| CR2430/1HF1  | <p>Technical drawing of CR2430/1HF1 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 0.75, 6.2, 9.2, 24±0.5, and 0.75.</p> | CR2430/1F6   | <p>Technical drawing of CR2430/1F6 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 5±0.5, 10±0.5, 0.75, and 1.5.</p>   |
| CR2430/1HF   | <p>Technical drawing of CR2430/1HF showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 1.8, 4, 24±0.5, and 1.8.</p>           | CR2430/1VC1  | <p>Technical drawing of CR2430/1VC1 showing front, side, and cross-sectional views. Dimensions include 24.5, 3, 4±0.5, 10±0.5, 0.75, and 3.28.</p> |

| Model Number | Dimensions/mm | Model Number | Dimensions/mm |
|--------------|---------------|--------------|---------------|
| CR2450/1HF   | <p>(97)</p>   | CR2450/1GU1  | <p>(98)</p>   |
| CR2430/1HF1  | <p>(99)</p>   | CR2450/1GU   | <p>(100)</p>  |
| CR2430/1HF2  | <p>(101)</p>  | CR2450/1F2   | <p>(102)</p>  |
| CR2430/1HF3  | <p>(103)</p>  | CR2450/1GV   | <p>(104)</p>  |

| Model Number | Dimensions/mm                                                                                                                                                                                                        | Model Number | Dimensions/mm                                                                                                                                                                                                                                     |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR2450/1GV1  | <p>Technical drawing of CR2450/1GV1 showing front and side views. Front view dimensions: 24,5 (height), 4±0,5 (width), 11 (height), 5,21 (width), 0,75 (width). Side view dimensions: 5 (width), 4±0,5 (width).</p>  | CR2450/1VC   | <p>Technical drawing of CR2450/1VC showing front and side views. Front view dimensions: 24,5 (height), 5±0,5 (width), 10±0,5 (height), 0,75 (width). Side view dimensions: 5 (width), 5±0,5 (width).</p>                                          |
| CR2450/1VC1  | <p>Technical drawing of CR2450/1VC1 showing front and side views. Front view dimensions: 24,5 (height), 5±0,5 (width), 0,75 (width). Side view dimensions: 5 (width), 5±0,5 (width).</p>                             | CR2450/1VC2  | <p>Technical drawing of CR2450/1VC2 showing front and side views. Front view dimensions: 24,5 (height), 5±0,5 (width), 0,75 (width). Side view dimensions: 5 (width), 5±0,5 (width).</p>                                                          |
| CR2477/1GV   | <p>Technical drawing of CR2477/1GV showing front and side views. Front view dimensions: 24,5 (height), 4±0,5 (width), 11 (height), 5,21 (width), 0,75 (width). Side view dimensions: 7,7 (width), 4±0,5 (width).</p> | CR2477/1HF   | <p>Technical drawing of CR2477/1HF showing front and side views. Front view dimensions: 24,5 (height), 7,7 (width), 1,8 (width). Side view dimensions: 4,5 (width), 1,8 (width), 20±0,5 (width), 13 (width), 1,8 (width).</p>                     |
| CR2477/1VC   | <p>Technical drawing of CR2477/1VC showing front and side views. Front view dimensions: 24,5 (height), 4±0,5 (width), 0,75 (width). Side view dimensions: 7,7 (width), 4±0,5 (width).</p>                            | CR2477/1HF1  | <p>Technical drawing of CR2477/1HF1 showing front and side views. Front view dimensions: 24,5 (height), 7,7 (width), 0,75 (width). Side view dimensions: 5,6 (width), 0,75 (width), 20±0,5 (width), 13,5 (width), 13,5 (width), 0,75 (width).</p> |

| Model Number | Dimensions/mm                                                                                                                                    | Model Number | Dimensions/mm                                                                                                                                    |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| CR2477/1HF2  | <p>Technical drawing of CR2477/1HF2 showing front, side, and detail views. Dimensions include 24.5, 7.7, 0.75, 11, 20±0.5, 3, 0.75, and 7.7.</p> | CR2477/1HF3  | <p>Technical drawing of CR2477/1HF3 showing front, side, and detail views. Dimensions include 24.5, 3.5, 1.8, 7.7, 3.5, 6, 2, 0.75, and 3.5.</p> |
| CR3032/1HF   | <p>Technical drawing of CR3032/1HF showing front, side, and detail views. Dimensions include 30, 3.2, 0.75, 9, 30±0.5, 6.2, 0.75, and 9.</p>     | CR3032/1HF1  | <p>Technical drawing of CR3032/1HF1 showing front, side, and detail views. Dimensions include 30, 3.2, 0.75, 9, 20±0.5, 5.6, 0.75, and 9.</p>    |
| CR3032/1HF2  | <p>Technical drawing of CR3032/1HF2 showing front, side, and detail views. Dimensions include 30, 3.2, 0.75, 4, 20±0.5, 3.2, 4, 0.75, and 4.</p> | CR3032/1VC   | <p>Technical drawing of CR3032/1VC showing front, side, and detail views. Dimensions include 30, 5±0.5, 10±0.5, 1.8, 3.2, 5±0.5, and 0.</p>      |
| CR3032/1F2   | <p>Technical drawing of CR3032/1F2 showing front, side, and detail views. Dimensions include 30, 5, 5±0.5, 2.6, 3.8, 5, 5±0.5, and 5.</p>        | CR3032/1F1   | <p>Technical drawing of CR3032/1F1 showing front, side, and detail views. Dimensions include 30, 3, 3±0.5, 2.6, 3.5±0.5, 3, 3, and 3.</p>        |